



Designed to divide or delineate both residential and commercial spaces of any shape and size, while at the same time providing an effective acoustic barrier.

Elegant slim lines to create a light and airy interior environment.

E&A Windows Screen can be designed to divide or delineate both residential and commercial spaces of any shape and size, while at the same time providing an effective acoustic barrier.


With a choice of hinged single and double doors, as well as pivot and sliding options to accompany the stylish fixed glazed screen, this flexible and versatile system provides almost limitless design options.

Options also extend to include visible hinges, concealed pivot or sliding mechanisms, enabling the system to be completely tailored to meet virtually any design style.

The E&A Screen system requires minimal maintenance, with the high quality design providing many years of assured, reliable and robust performance.



### **E&A Interior Screen**DESIGN SOLUTIONS





HEAD DETAIL

#### Pivot Screen

Our pivot screen options provides the flexibility to instantly change the way the internal space is configured. Available up to 2 metres wide and with standard or soft close options.

| DOOR SASH SPECIFICATIONS   |  |
|--|--|
| 2000mm   |  |
| 400mm  |  |
| 2500mm   |  |
| 100kg  |  |
| Single or double   |  |
| 6mm, 8mm, 4-10-4mr<br>or 18mm  |  |
| Various powder coatin<br>colours available with<br>a 25 year guarantee |  |
|  |  |



#### **Hinged Doors**

With a range of width, glazing, hinge and furniture options, our doors can be configured to suit any design theme, from traditional to minimalist and contemporary to industrial.

| DOOR SASH SPECIFICATIONS |   |
|--------------------------|---|
| Maximum Width            | 900mm   |
| Minimum Width            | 400mm   |
| Maximum Height           | 2200mm  |
| Maximum Weight           | 60kg  |
| Door                     | Single or double  |
| Glazing                  | 6mm, 8mm, 4-10-4mm<br>or 18mm   |
| Colour                   | Various powder coating<br>colours available with<br>a 25 year guarantee |
|                          |   |



SASH DETAIL

THRESHOLD DETAIL

#### **Sliding Doors**

Sliding doors provide the option to close or partially open the internal screen, with a choice of a contemporary or vintage rail options to echoe the overall design.

| DOOR SASH SPECIFICATIONS |   |
|--------------------------|---|
| Maximum Width            | 1200mm  |
| Minimum Width            | 400mm   |
| Maximum Height           | 2500mm  |
| Maximum Weight           | 100kg (with ACINT 313 Rollers)                                    |
| Door                     | Single or double  |
| Glazing                  | 6mm, 8mm, 4-10-4mm<br>or 18mm                                     |
| Colour                   | Various powder coating colours available with a 25 year guarantee |



SASH DETAIL

THRESHOLD DETAIL

HEAD DETAIL

HEAD DETAIL

# TRANSOM DETAIL

THRESHOLD DETAIL

## Get creative with Space & Light

With a huge range of colour and design options, with just a small number of core components, the system can be used to elegantly partition living or working space of any size or shape.

| SPECIFICATIONS                             | 5      |  |
|--|--------|--|
| Maximum Width                              | 1400mm |  |
| Maximum Height                             | 2500mm |  |
| The Conditional Interest Interest Interest |        |  |

The fixed screen sizes above are based on INT255 coupler limit at 0.8kN/m. Size limits can vary depending on application and the category of building. Please refer to Approved Document K and CWCT for further information on the required loading of your project.

